


PageSpeed Insights

Mobile



3 Common Reasons Why Your donne russe da sposare Isn't Working (And How To Fix It)

Par troyiduh443 26 octobre 2019 dans: Non classé

MARRYING A UKRAINIAN OR RUSSIAN WOMAN AND WHAT YOU NEED TO KNOW

After a endurance marathon on Russian girls dating sites, it's finally time to marry Russian girls and leave behind single lifetime. Let us learn about the unique culture of

En poursuivant votre navigation sur ce site, vous acceptez l'utilisation de cookies pour vous proposer des publicités ciblées adaptées à vos centres d'intérêts, la mémorisation de vos préférences et paramètres, pour faciliter votre processus de connexion, recueillir et analyser des statistiques sur les activités de nos sites et services et enfin collaborer avec des partenaires en hébergeant leurs contenus ou annonces publicitaires. Pour en savoir plus et paramétrer les cookies, [cliquez ici](#).

78 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://troyiduh443.unblog.fr/wp-includes/js/jquery/jquery.js?ver=1.10.2>
- <http://troyiduh443.unblog.fr/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.2.1>
- <http://troyiduh443.unblog.fr/wp-includes/js/utills.min.js?ver=3.7.5>
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global.min.js?ver=1.0

Mobile

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global-front.min.js?ver=1.0
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0

[Optimize CSS Delivery](#) of the following:

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global.min.css?ver=1.12
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global-front.min.css?ver=1.13
- <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105>
- <http://fonts.googleapis.com/css?family=Oswald%3A400%2C300%2C700%7CLato%3A400%2C300%2C700%2C900%7CWork+Sans%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7COpen+Sans%3A400%2C600%2C700%2C800%7CPlayfair+Display%3A400%2C700%2C900%2C400italic%7CRaleway%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7CRoboto%3A400%2C300%2C100%2C700%7CMontserrat%3A400%2C700&subset=latin%2Cgreek%2Cgreek-ext%2Cvietnamese%2Ccyrillic-ext%2Clatin-ext%2Ccyrillic&ver=3.7.5>
- <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/ub.css?ver=4>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/analytics.js> (2 hours)
- <https://i.ytimg.com/vi/mZCqio5cO9I/hqdefault.jpg> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Mobile](#)

[Minify CSS](#) for the following resources to reduce their size by 157B (14% reduction).

- Minifying <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105> could save 157B (14% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 884B (14% reduction).

- Minifying <http://troyiduh443.unblog.fr/> could save 884B (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.4KiB (28% reduction).

- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/main.js?ver=1.3.1u1> could save 1.4KiB (27% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105> could save 1.1KiB (31% reduction) after compression.
- Minifying http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0 could save 1KiB (68% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/search.js?ver=3.7.5> could save 391B (13% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/widget-ajax.js?ver=1.0> could save 267B (20% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/framework/shorty/js/blocks.js?ver=1.0> could save 246B (20% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 242B (30% reduction).

- Compressing <https://logv11.xiti.com/g.xiti?fh=1&s=469343&p=&hl=22x59x27&r=412x732x24x24&ref=&Rdt=On> could save 242B (30% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

98 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` is close to 1 other tap targets.
- The tap target `Jadidtarin` and 1 others are close to other tap targets.
- The tap target `Simonoltp352` and 2 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

Mobile

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



92 / 100 Speed

! Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/analytics.js> (2 hours)
- <https://i.ytimg.com/vi/mZCqio5cO9I/hqdefault.jpg> (2 hours)

Desktop

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 157B (14% reduction).

- Minifying <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105> could save 157B (14% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 884B (14% reduction).

- Minifying <http://troyiduh443.unblog.fr/> could save 884B (14% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.4KiB (28% reduction).

- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/main.js?ver=1.3.1u1> could save 1.4KiB (27% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105> could save 1.1KiB (31% reduction) after compression.
- Minifying http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0 could save 1KiB (68% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/search.js?ver=3.7.5> could save 391B (13% reduction) after compression.

Desktop

- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/js/widget-ajax.js?ver=1.0> could save 267B (20% reduction) after compression.
- Minifying <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/framework/shorty/js/blocks.js?ver=1.0> could save 246B (20% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 6 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://troyiduh443.unblog.fr/wp-includes/js/jquery/jquery.js?ver=1.10.2>
- <http://troyiduh443.unblog.fr/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.2.1>
- <http://troyiduh443.unblog.fr/wp-includes/js/Utils.min.js?ver=3.7.5>
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global.min.js?ver=1.0
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global-front.min.js?ver=1.0
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0

[Optimize CSS Delivery](#) of the following:

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global.min.css?ver=1.12
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global-front.min.css?ver=1.13
- <http://troyiduh443.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105>
- <http://fonts.googleapis.com/css?family=Oswald%3A400%2C300%2C700%7CLato%3A400%2C300%2C700%2C900%7CWork+Sans%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7COpen+Sans%3A400%2C600%2C700%2C800%7CPlayfair+Display%3A400%2C700%2C900%2C400italic%7CRaleway%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7CRoboto%3A400%2C300%2C100%2C700%7CMontserrat%3A400%2C700&subset=latin%2Cgreek%2Cgreek-ext%2Cvietnamese%2Ccyrillic-ext%2Clatin-ext%2Ccyrillic&ver=3.7.5>
- <http://troyiduh443.unblog.fr/wp-content/themes/woohoo/ub.css?ver=4>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 242B (30% reduction).

- Compressing <https://logv11.xiti.com/g.xiti?fh=1&s=469343&p=&hl=22x59x31&r=1366x768x24x24&ref=&Rdt=On> could save 242B (30% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).